



Entry for *Lecaniodiscus cupanioides* Planch. ex Benth. [family SAPINDACEAE]

<http://plants.jstor.org/flora/fwta4239>

<http://www.jstor.org>

Your use of the JSTOR archive indicates your acceptance of JSTOR's Terms and Conditions of Use, available at <http://www.jstor.org/page/info/about/policies/terms.jsp>. JSTOR's Terms and Conditions of Use provides, in part, that unless you have obtained prior permission, you may not download an entire issue of a journal or multiple copies of articles, and you may use content in the JSTOR archive only for your personal, non-commercial use.

Please contact the contributing partner regarding any further use of this work. Partner contact information may be obtained at <http://plants.jstor.org/page/about/plants/PlantsProject.jsp>.

Each copy of any part of a JSTOR transmission must contain the same copyright notice that appears on the screen or printed page of such transmission.

JSTOR is a not-for-profit service that helps scholars, researchers, and students discover, use, and build upon a wide range of content in a trusted digital archive. We use information technology and tools to increase productivity and facilitate new forms of scholarship. For more information about JSTOR, please contact plants@jstor.org.

Entry for *Lecaniodiscus cupanioides* Planch. ex Benth. [family SAPINDACEAE]

Herbarium	Royal Botanic Gardens, Kew (K)
Collection	Flora of West Tropical Africa
Resource Type	Reference Sources
Entry from	Flora of West Tropical Africa, Vol 1 Part 2
Names	<i>Lecaniodiscus cupanioides</i> Planch. ex Benth. [family SAPINDACEAE], — F.T.A. 1: 429; Chev. Bot. 153; Radlk. I.c. 880; Aubrév. Fl. For. C. Iv. 2: 202, t. 205.
Information	A small tree, or shrub, 5–30 ft. high, with spreading crown; flowers greenish-yellow or whitish, fragrant; ripe fruits red or yellowish, indehiscent.
Distribution	Br. C.: many localities fide Aubrév. Il.c.: Cape Coast Brass! Kibbi (fr. Mar.) Brent 409! Assuantsi (Mar.) Irvine 1568! Bjury, Black Volta R. (July) Chipp 508! Achimota (Feb.) Irvine 2004! Cam.: Johann-Albrechtshöhe (Feb.) Staudt 589! Dah.: Cabolé to Bassila, Savalou (May) Chev. 23812! Fr. G.: Heudelot 854! Mamou (Mar.) Dalz. 8394! Kouroussa (Apr.) Pobéguin 673! G. G.: Pussubé (Mar.) IV. L.: Don! Talla Hills (fl. Feb., fr. Apr.) Sc. Elliot 4934! 5004! 5006! Njala (fl. Feb., fr. Apr.) Deighton 2615! 2616! 2896! Rokupr (Mar.) Jordan 416! Falaba (Mar.) Sc. Lib.: Zorzor (Mar.) Bequaert 143! Nig.: Lagos Phillips 10! Abeokuta Barter 3389! Ibadan (Mar.) Ujor 27974! Benin City Unwin 28! Port. S. Sen.: Niokolo-Koba Berhaut 952. Togo.: several localities fide Radlk. I.c.
Distribution (external)	Angola; Cameroon; Congo; Congo, the Democratic Republic of the; Gabon; Sudan; Uganda; Unknown

<http://plants.jstor.org/flora/fwta4239>