



**Holotype of *Conophytum variabile* L.Bolus [family
MESEMBRYANTHEMACEAE]**

<http://www.aluka.org/action/showMetadata?doi=10.5555/AL.AP.SPECIMEN.BOL130579>

Use of the Aluka digital library is subject to Aluka's Terms and Conditions, available at <http://www.aluka.org/page/about/termsConditions.jsp>. By using Aluka, you agree that you have read and will abide by the Terms and Conditions. Among other things, the Terms and Conditions provide that the content in the Aluka digital library is only for personal, non-commercial use by authorized users of Aluka in connection with research, scholarship, and education.

The content in the Aluka digital library is subject to copyright, with the exception of certain governmental works and very old materials that may be in the public domain under applicable law. Permission must be sought from Aluka and/or the applicable copyright holder in connection with any duplication or distribution of these materials where required by applicable law.

Aluka is a not-for-profit initiative dedicated to creating and preserving a digital archive of materials about and from the developing world. For more information about Aluka, please see <http://www.aluka.org>

Holotype of *Conophytum variabile* L.Bolus [family MESEMBRYANTHEMACEAE]

Collector	Hall, H., No# NBG 961/55
Collection date	1955/10
Locality	Namaqualand, Augrabies, 12 miles East of Port Nolloth.
Country	South Africa (South Africa)
Identifications	Holotype of <i>Conophytum variabile</i> L.Bolus [family MESEMBRYANTHEMACEAE]; <i>Conophytum bilobum</i> (Marloth) N.E.Br. [family MESEMBRYANTHEMACEAE] (stored under name);
Repository	The Bolus Herbarium, Botany Department, University of Cape Town, South Africa, BOL130579
Data last modified	2005-05-09

<http://www.aluka.org/action/showMetadata?doi=10.5555/AL.AP.SPECIMEN.BOL130579>

A 1 2 3 4 5 6 M 8 9 10 11 12 13 14 15 B 17 18 19



Conophytum (Biloba) variabile L. Bol.
Cape Prov.: Little Namai land;
Aengrabies, 12 miles E. of Port
Nolloth, Oct. 1955. H. Hall.
N. B. G. 961/55.
H. Feb. 10, 1956.

rather doubtfully
placed in this (the pubescent) group

Type

BOLUS HERBARIUM

BOL130579



(Type *Conophytum variabile* L. Bol.
Meseemb. III: 309 (1955).



(*Sex-caespitosa - lutea - vestita*)

Conophytum bilobum (Marloth) N.E.Br.
ssp. *bilobum*
Gard. Chron. 72:83 (1922)
Hammer: (1993) 2: 267 + 234